INSTRUCTIONS

Part #s 64310, 64311, 64312, 64313, 64320, 64321, 64322, 64323, 64333

PedalMonster®

Please read through the following instructions thoroughly before starting your installation. If you have any questions please visit our Support Page.



Quick Start Video

09:54



PedalMonster Mobile App

Google Play Store

Apple App Store

PedalMonster Installation Video

00:00 Unboxing PedalMonster with iDash

01:24 PedalMonster Stand-alone Installation

04:30 Mobile App download and setup

11:11 PedalMonster with iDash Installation


17:05 PedalMonster with iDash and Derringer Installation

21:41 Calibrating PedalMonster using iDash




23:54


PedalMonster Stand-Alone Configuration



SUPP(



PedalMonster with Derringer and Switch Configuration



PedalMonster with iDash and Derringer Configurations

General Installation Steps

Please note: these steps will be used for any configuration of the PedalMonster.

General Installation Steps - Show

Initial Setup of PedalMonster with Mobile App

PedalMonster with Mobile App Steps - Show

Initial Setup of PedalMonster with iDash

PedalMonster Setup with iDash - Show

Setting via iDash

PedalMonster Settings via iDash - Show

Mode Selection on iDash

Mode Selection on iDash - Show

Setting Up PedalMonster on iDash Gauge

PedalMonster iDash Gauge Layout - Show



Press RIGHT ARROW to enter MENU, and select GAUGE LAYOUT



Available Gauge Layouts – Pedal Monster, Pedal Monster Combo, and Derringer Pedal Monster (if used with Derringer)

Using iDash and PedalMonster Combo Layout





Press UP / DOWN ARROWS to increase or decrease levels. Pressing UP on Level 10 or STOCK will roll over to next Mode. Likewise, pressing DOWN at Level 1 will go to previous Mode.

Using PedalMonster Derringer Combo Layout




By default, Pressing UP / DOWN in Derringer PedalMonster Layout will change PedalMonster Level.



Press LEFT ARROW to highlight
Derringer Level. Press UP / DOWN to
change Derringer level.



Press LEFT ARROW to highlight
PedalMonster Setting. Press UP / DOWN
to change PedalMonster Level. Pressing
UP on Level 10 or STOCK will roll over to
the next Mode. Likewise, pressing
DOWN at Level 1 will go to the previous
Mode.



CARB EO Label

Please use the following CARB-approved emissions label and EO label location guidelines. We generally use the radiator shroud location.

 \leftarrow 97702 Derringer for 2020-2023 GM L5P

97681 – Banks AAM Ram-Air Rear Differential Cover \rightarrow

★ You May Also Like





NEED HELP? Call 800-601-8072 from 7am-5pm Pacific.

Latest Videos view All Subscribe to Banks Power channel How to prevent RAM 6.7L grid heater bolt failure

How Banks got into diesel | Speed

School Podcast Ep 13





Questions? Ask us anything. Power...

Contact Us

Looking to buy Banks?

Call 800-601-8072 Mon-Fri 8am-5pm

PRODUCT	S ~ INSTALL @ BANKS	NEWS & MEDIA	ABOUT BANKS Y SUPPO
my favorite performance tool has been the turbocharger, I boosted my first diesel in '78, set a few records too! Our mission is to improve performance, durability and the driving experience, all without compromising emissions requirements.	it, we have it!! Nobody knows it better than us.	sellu us a illessage	40.5 10.5
		Fax 626-691-2122	
	Privacy Policy	546 S Duggan Avenue	Shop online 24/7
			or visit our
	Sitemap	Azusa, CA 91702	PowerHouse
		Map/Directions	

Gas & Diesel Performance for Cars, Trucks, Jeeps and Motorhomes
Copyright © 2022 Gale Banks Engineering. All rights reserved.







